


SAFETY DATA SHEET

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.2 SDS Revision Date: 11/2/2015

1. PRODUCT & COMPANY IDENTIFICATION

| | | |
|-----|------------------------------|--|
| 1.1 | Product Name: | L'ANZA HEALING HAIRCOLOR VIBES |
| 1.2 | Chemical Name: | NA |
| 1.3 | Synonyms: | NA |
| 1.4 | Trade Names: | L'Anza Healing Haircolor VIBES |
| 1.5 | Product Uses & Restrictions: | Professional or Cosmetic Use Only |
| 1.6 | Distributor's Name: | C-CARE, LLC |
| 1.7 | Distributor's Address: | 979 Corporate Boulevard, Linthicum Heights, MD 21090 USA |
| 1.8 | Emergency Phone: | CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN XXXXX) |
| 1.9 | Business Phone / Fax: | +1 (410) 850-0035 |

2. HAZARDS IDENTIFICATION

| | | | |
|-----|------------------------|---|---|
| 2.1 | Hazard Identification: | <p>This product is classified as a HAZARDOUS SUBSTANCE but NOT as DANGEROUS GOODS according to the classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia). WARNING! CAUSES MILD SKIN IRRITATION. CAUSES EYE IRRITATION. HARMFUL IF SWALLOWED. <u>Classification:</u> Skin Irrit. 3; Eye Irrit. 2B; Acute Tox. Oral 4 <u>Hazard Statements (H):</u> H316 – Causes mild skin irritation. H320 – Causes eye irritation. H302 – Harmful if swallowed. <u>Precautionary Statements (P):</u> P264 – Wash hands and exposed skin areas with soap and warm water thoroughly after handling. P270 – Do not eat, drink or smoke while using this product. P280 – Wear protective gloves and eye/face protection. P301+P312 – IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. P305+P351+P338 – IF IN EYES: Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 – If eye irritation persists: Get medical advice/attention. P332+P313 – If skin irritation occurs: get medical advice/attention. P405 – Store locked up. P501 – Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF).</p> |  |
|-----|------------------------|---|---|

3. COMPOSITION & INGREDIENT INFORMATION

| CHEMICAL NAME(S) | CAS No. | RTECS No. | EINECS No. | % | EXPOSURE LIMITS IN AIR (mg/m ³) | | | | | | | | | OTHER |
|-------------------------------|------------|-----------|------------|----|---|------|--------|---------|---------|------|------|------|------|-------|
| | | | | | ACGIH | | NOHSC | | | OSHA | | | | |
| | | | | | TLV | STEL | ES-TWA | ES-STEL | ES-PEAK | PEL | STEL | IDLH | | |
| WATER / AQUA/ EAU | 7732-18-5 | ZC0110000 | 231-791-2 | NA | NA | NA | NF | NF | NF | NA | NA | NA | | |
| POLYQUATERNIUM-37 | 26161-33-1 | NA | NA | NA | NA | NA | NF | NF | NF | NA | NA | NA | | |
| PARFUM LIQUIDUM (MINERAL OIL) | 8012-95-1 | PY8030000 | 232-384-2 | NA | 5 | 10 | NF | 5 | NF | 5 | 10 | 2500 | MIST | |
| | | | | | Asp. Tox. 1; H304 | | | | | | | | | |
| ETHOXYDIGLYCOL | 111-90-0 | KK8750000 | 203-919-7 | NA | 25 | NA | NF | NF | NF | 25 | NA | NA | | |
| PHENOXYETHANOL | 122-99-6 | KM0350000 | 204-589-7 | NA | NA | NA | NF | NF | NF | NA | NA | NA | | |
| POLYSORBATE 20 | 9005-64-5 | NA | NA | NA | NA | NA | NF | NF | NF | NA | NA | NA | | |
| PPG-1 TRIDECETH 6 | NA | NA | NA | NA | NA | NA | NF | NF | NF | NA | NA | NA | | |
| PROPYLENE GLYCOL | 57-55-6 | TY2000000 | 200-338-0 | NA | NA | NA | 150 | 474 | NF | NA | NA | NA | | |
| | | | | | Skin Irrit. 3; Eye Irrit. 2; H316; H320 | | | | | | | | | |
| SODIUM COCOAMPHOPROPIONATE | 93820-52-1 | Na | 298-632-7 | NA | NA | NA | NF | NF | NF | NA | NA | NA | | |
| MAGNESIUM PCA | 5819-47-6 | NA | 227-392-8 | NA | NA | NA | NF | NF | NF | NA | NA | NA | | |
| MANGANESE PCA | NA | NA | NA | NA | NA | NA | NF | NF | NF | NA | NA | NA | | |
| ZINC PCA | 68107-75-7 | NA | 268-475-9 | NA | NA | NA | NF | NF | NF | NA | NA | NA | | |
| SODIUM PCA | 28874-51-3 | NA | 249-277-1 | NA | NA | NA | NF | NF | NF | NA | NA | NA | | |
| KERATIN AMINO ACIDS | NA | NA | NA | NA | NA | NA | NF | NF | NF | NA | NA | NA | | |

SAFETY DATA SHEET

Page 2 of 6
CC-005

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.2

SDS Revision Date: 11/2/2015

3. COMPOSITION & INGREDIENT INFORMATION – cont'd

| CHEMICAL NAME(S) | CAS No. | RTECS No. | EINECS No. | % | EXPOSURE LIMITS IN AIR (mg/m ³) | | | | | | | | | OTHER |
|---|------------|-----------|------------|----|---|------|--------|---------|---------|------|------|------|--|-------|
| | | | | | ACGIH | | NOHSC | | | OSHA | | | | |
| | | | | | ppm | | ppm | | | ppm | | | | |
| | | | | | TLV | STEL | ES-TWA | ES-STEL | ES-PEAK | PEL | STEL | IDLH | | |
| MAY ALSO CONTAIN: | | | | | | | | | | | | | | |
| CI 42520 (BASIC VIOLET 2) | 3248-91-7 | NA | 221-831-7 | NA | NA | NA | NF | NF | NF | NA | NA | NA | | |
| HC BLUE 15 | 74578-10-2 | NA | 277-929-5 | NA | NA | NA | NF | NF | NF | NA | NA | NA | | |
| BASIC RED 51 | 77061-58-6 | NA | 278-601-4 | NA | NA | NA | NF | NF | NF | NA | NA | NA | | |
| BASIC ORANGE 31 | 97404-02-9 | NA | 306-764-4 | NA | NA | NA | NF | NF | NF | NA | NA | NA | | |
| BASIC YELLOW 87 | 68259-00-7 | NA | 269-503-2 | NA | NA | NA | NF | NF | NF | NA | NA | NA | | |
| CALENDULA OFFICINALIS FLOWER EXTRACT | 84776-23-8 | NA | 283-949-5 | NA | NA | NA | NF | NF | NF | NA | NA | NA | | |
| CENTAUREA CYANUS FLOWER EXTRACT | 84012-18-0 | NA | 281-664-0 | NA | NA | NA | NF | NF | NF | NA | NA | NA | | |
| HIBISCUS SABDARIFFA FLOWER EXTRACT | 84775-96-2 | NA | 283-920-7 | NA | NA | NA | NF | NF | NF | NA | NA | NA | | |
| PAPHIOPEDILUM MAUDIAE (ORCHID) FLOWER EXTRACT | NA | NA | NA | NA | NA | NA | NF | NF | NF | NA | NA | NA | | |
| GARDENIA FLORIDA FLOWER EXTRACT | 92457-01-7 | NA | 296-280-9 | NA | NA | NA | NF | NF | NF | NA | NA | NA | | |
| ROSA CENTIFOLIA FLOWER EXTRACT | 84604-12-6 | NA | 283-289-8 | NA | NA | NA | NF | NF | NF | NA | NA | NA | | |
| ECHINACEA PURPUREA EXTRACT | 90028-20-9 | NA | 289-808-4 | NA | NA | NA | NF | NF | NF | NA | NA | NA | | |

4. FIRST AID MEASURES


| | | | | | | | | | | | | | |
|-----------------------------|--|---|--|---------------|----------|---------------------|----------|-------------------------|----------|-----------------------------|----------|-------------|-------------|
| 4.1 | First Aid: | <p>Ingestion: If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed.</p> <p>Eyes: Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. If irritation occurs, contact a physician.</p> <p>Skin: If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the affected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately.</p> <p>Inhalation: Remove victim to fresh air at once.</p> | | | | | | | | | | | |
| 4.2 | Effects of Exposure: | <p>Ingestion: If product is swallowed, may cause nausea, vomiting and/or diarrhea.</p> <p>Eyes: Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering.</p> <p>Skin: May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals.</p> <p>Inhalation: None expected.</p> | | | | | | | | | | | |
| 4.3 | Symptoms of Overexposure: | <p>Ingestion: Nausea, intestinal discomfort, vomiting and/or diarrhea.</p> <p>Eyes: Overexposure in eyes may cause redness, itching and watering.</p> <p>Skin: Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals.</p> | | | | | | | | | | | |
| 4.4 | Acute Health Effects: | Moderate irritation to eyes. Symptoms of overexposure may include redness, itching, stinging, irritation and watering. Moderate irritation to skin near affected areas. | | | | | | | | | | | |
| 4.5 | Chronic Health Effects: | No harmful or chronic health effects are expected to occur from a single accidental ingestion. | | | | | | | | | | | |
| 4.6 | Target Organs: | Eyes, Skin, Respiratory System | | | | | | | | | | | |
| 4.7 | Medical Conditions Aggravated by Exposure: | Pre-existing dermatitis, other skin conditions, and disorders of the target organs (eyes, skin, and respiratory system). | <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="background-color: #0000FF; color: white;">HEALTH</td> <td style="text-align: center;">1</td> </tr> <tr> <td style="background-color: #FF0000; color: white;">FLAMMABILITY</td> <td style="text-align: center;">0</td> </tr> <tr> <td style="background-color: #FFA500; color: white;">PHYSICAL HAZARDS</td> <td style="text-align: center;">1</td> </tr> <tr> <td style="background-color: #000000; color: white;">PROTECTIVE EQUIPMENT</td> <td style="text-align: center;">B</td> </tr> <tr> <td>EYES</td> <td>SKIN</td> </tr> </table> | HEALTH | 1 | FLAMMABILITY | 0 | PHYSICAL HAZARDS | 1 | PROTECTIVE EQUIPMENT | B | EYES | SKIN |
| HEALTH | 1 | | | | | | | | | | | | |
| FLAMMABILITY | 0 | | | | | | | | | | | | |
| PHYSICAL HAZARDS | 1 | | | | | | | | | | | | |
| PROTECTIVE EQUIPMENT | B | | | | | | | | | | | | |
| EYES | SKIN | | | | | | | | | | | | |

SAFETY DATA SHEET

Page 3 of 6
CC-005

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.2 SDS Revision Date: 11/2/2015

5. FIREFIGHTING MEASURES

| | | | |
|-----|---------------------------|---|---|
| 5.1 | Fire & Explosion Hazards: | This product is not flammable. |  |
| 5.2 | Extinguishing Methods: | CO ₂ , Halon (if permitted), Dry Chemical, Foam, as authorized. | |
| 5.3 | Firefighting Procedures: | As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. | |



6. ACCIDENTAL RELEASE MEASURES

| | | |
|-----|---------|--|
| 6.1 | Spills: | <p>Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment.</p> <p>For <u>small spills</u> (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse.</p> <p>For <u>large spills</u> (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.</p> |
|-----|---------|--|

7. HANDLING & STORAGE INFORMATION

| | | |
|-----|---------------------------|---|
| 7.1 | Work & Hygiene Practices: | Do not eat, drink, or smoke while handling this product. Wash thoroughly after handling. Avoid contact with flammable or combustible materials. Avoid contamination from any source, including metals, dust and organic materials. Keep bulk covered. Wash unintentional residues with soap and warm water. |
| 7.2 | Storage & Handling: | Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Keep away from excessive heat and open flames. Avoid temperatures above 120 °F. Keep away from incompatible substances. Protect containers from physical damage. |
| 7.3 | Special Precautions: | Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. |

8. EXPOSURE CONTROLS & PERSONAL PROTECTION

| | | | | | | | | | | | |
|-----|--|---|-------|------|--------|---------|---------|------|------|------|---|
| 8.1 | Exposure Limits: ppm (mg/m ³) | | ACGIH | | NOHSC | | | OSHA | | | OTHER |
| | | CHEMICAL NAME(S) | TLV | STEL | ES-TWA | ES-STEL | ES-PEAK | PEL | STEL | IDLH | |
| | | PARFUM LIQUIDUM (MINERAL OIL) | 5 | 10 | NF | 5 | NF | 5 | 10 | 2500 | MIST |
| | | ETHOXYDIGLYCOL | 25 | NA | NF | NF | NF | 25 | NA | NA | |
| | | PROPYLENE GLYCOL | NA | NA | 150 | 474 | NF | NA | NA | NA | ALLERGEN |
| 8.2 | Ventilation & Engineering Controls: | General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use. Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station). | | | | | | | | | |
| 8.3 | Respiratory Protection: | No special respiratory protection is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. | | | | | | | | | |
| 8.4 | Eye Protection: | Avoid eye contact. None required under normal conditions of use. When handling large quantities (e.g., ≥ 1 gallon (3.8 L)) safety glasses with side shields should be used. | | | | | | | | |  |
| 8.5 | Hand Protection: | Required under normal conditions of use to prevent staining and keep exposure level to a minimum. Use latex or PVC gloves. When handling large quantities (e.g., ≥ 1 gallon (3.8 L)), wear rubber or impervious plastic gloves must be worn. | | | | | | | | |  |
| 8.6 | Body Protection: | No apron required when handling small quantities. Lab coat or apron should be worn to protect skin and clothing. When handling large quantities (e.g., ≥ 1 gallon), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water. | | | | | | | | | |

9. PHYSICAL & CHEMICAL PROPERTIES

| | | |
|-----|-------------------------------|---------------------|
| 9.1 | Appearance: | Paste, color varies |
| 9.2 | Odor: | Mild floral odor |
| 9.3 | Odor Threshold: | NA |
| 9.4 | pH: | 3.0-4.0 |
| 9.5 | Melting Point/Freezing Point: | NA |

SAFETY DATA SHEET

Page 4 of 6
CC-005

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.2

SDS Revision Date: 11/2/2015

9. PHYSICAL & CHEMICAL PROPERTIES – cont'd

| | | |
|------|---|-----------------------------|
| 9.6 | Initial Boiling Point/Boiling Range: | NA |
| 9.7 | Flashpoint: | NA |
| 9.8 | Upper/Lower Flammability Limits: | NA |
| 9.9 | Vapor Pressure: | NA |
| 9.10 | Vapor Density: | NA |
| 9.11 | Relative Density: | 0.97-1.0 |
| 9.12 | Solubility: | Partial solubility in water |
| 9.13 | Partition Coefficient (log P _{ow}): | NA |
| 9.14 | Autoignition Temperature: | NA |
| 9.15 | Decomposition Temperature: | NA |
| 9.16 | Viscosity: | 80,000-200,000 cPs |
| 9.17 | Other Information: | NA |

10. STABILITY & REACTIVITY

| | | |
|------|-----------------------------------|---|
| 10.1 | Stability: | Stable under normal conditions; unstable with heat or contamination. |
| 10.2 | Hazardous Decomposition Products: | Oxides of carbon (CO, CO ₂), nitrogen (NO _x) and sulfur (SO ₂). |
| 10.3 | Hazardous Polymerization: | Will not occur. |
| 10.4 | Conditions to Avoid: | Open flames, sparks, high heat, incompatible substances and direct sunlight. |
| 10.5 | Incompatible Substances: | Avoid extreme heat and ignition sources. Store away from oxidizers. |

11. TOXICOLOGICAL INFORMATION

| | | | | |
|------|------------------------------|--|-----------------|----------------|
| 11.1 | Routes of Entry: | Inhalation: YES | Absorption: YES | Ingestion: YES |
| 11.2 | Toxicity Data: | This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is available for some of the components of the product and is presented below: | | |
| 11.3 | Acute Toxicity: | See section 4.4 | | |
| 11.4 | Chronic Toxicity: | See section 4.5 | | |
| 11.5 | Suspected Carcinogen: | No. | | |
| 11.6 | Reproductive Toxicity: | This product is not reported to produce reproductive toxicity in humans. | | |
| | Mutagenicity: | This product is not reported to produce mutagenic effects in humans. | | |
| | Embryotoxicity: | This product is not reported to produce embryotoxic effects in humans. | | |
| | Teratogenicity: | This product is not reported to cause teratogenic effects in humans. | | |
| | Reproductive Toxicity: | This product is not reported to cause reproductive effects in humans. | | |
| 11.7 | Irritancy of Product: | See Section 4.3. | | |
| 11.8 | Biological Exposure Indices: | NE | | |
| 11.9 | Physician Recommendations: | Treat symptomatically. | | |

12. ECOLOGICAL INFORMATION

| | | |
|------|------------------------------|--|
| 12.1 | Environmental Stability: | The components of this product will slowly degrade over time into a variety of organic compounds. Specific environmental data available for the components of this product are as follows: |
| 12.2 | Effects on Plants & Animals: | There is no specific data available for this product. |
| 12.3 | Effects on Aquatic Life: | There is no specific data available for this product. |

13. DISPOSAL CONSIDERATIONS

| | | |
|------|-------------------------|---|
| 13.1 | Waste Disposal: | Products covered by this MSDS, in their original form, when disposed as waste, are considered non-hazardous waste according to Federal RCRA regulations (40 CFR 261). Disposal should be in accordance with local, state and federal regulations. Dispose of in accordance with federal, state and local regulations. |
| 13.2 | Special Considerations: | NA |

14. TRANSPORTATION INFORMATION



The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.

| | | |
|------|----------------------|---------------|
| 14.1 | 49 CFR (GND): | NOT REGULATED |
| 14.2 | IATA (AIR): | NOT REGULATED |
| 14.3 | IMDG (OCN): | NOT REGULATED |
| 14.4 | TDGR (Canadian GND): | NOT REGULATED |
| 14.5 | ADR/RID (EU): | NOT REGULATED |
| 14.6 | SCT (MEXICO): | NOT REGULATED |
| 14.7 | ADGR (AUS): | NOT REGULATED |

SAFETY DATA SHEET

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.2 SDS Revision Date: 11/2/2015

15. REGULATORY INFORMATION

| | | |
|------|-----------------------------------|---|
| 15.1 | SARA Reporting Requirements: | This product does not contain any substances subject to SARA Title III, section 313 reporting requirements. |
| 15.2 | SARA Threshold Planning Quantity: | This product is not subject to the reporting requirements of SARA Title III, Section 302. |
| 15.3 | TSCA Inventory Status: | All components of this product are listed in the TSCA Inventory or are exempt. |
| 15.4 | CERCLA Reportable Quantity (RQ): | NA |
| 15.5 | Other Federal Requirements: | This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics). This material does not contain any hazardous air pollutants. None of the components in this product are listed as priority pollutants under the CWA. None of the components in this product are listed as toxic pollutants under the CWA. |
| 15.6 | Other Canadian Regulations: | This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS  |
| 15.7 | State Regulatory Information: | No ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). |
| 15.8 | Other Requirements: | The primary components of this product are listed in Annex I of EU Directive 67/548/EEC: Irritant (Xi). Risk Phrases (R): 36 – Irritating to eyes. Safety Phrases (S): 2-26 – Keep out of reach of children. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  |

16. OTHER INFORMATION

| | | |
|------|----------------------|---|
| 16.1 | Other Information: | <p>WARNING! CAUSES MILD SKIN IRRITATION. CAUSES EYE IRRITATION. HARMFUL IF SWALLOWED. For external use only. Use only as directed. Discontinue use immediately if irritation develops. Wash hands and exposed skin areas with soap and warm water thoroughly after handling. Do not eat, drink or smoke while using this product. Wear protective gloves and eye/face protection. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. IF IN EYES: Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If skin irritation occurs: get medical advice/attention. Store locked up. KEEP LOCKED UP AND OUT OF REACH OF CHILDREN.</p> |
| 16.2 | Terms & Definitions: | See last page of this Safety Data Sheet. |
| 16.3 | Disclaimer: | This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & C-Care, LLC's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. |
| 16.4 | Prepared for: | <p>C-Care, LLC 979 Corporate Blvd Linthicum Heights, MD USA Tel: +1 (410) 850-0035 http://www.c-care-company.com</p> |
| 16.5 | Prepared by: | <p>ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com</p> <div style="text-align: right;">  </div> |

SAFETY DATA SHEET

Page 6 of 6
CC-005

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.2

SDS Revision Date: 11/2/2015

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

| | |
|----------------|----------------------------------|
| CAS No. | Chemical Abstract Service Number |
|----------------|----------------------------------|

EXPOSURE LIMITS IN AIR:

| | |
|--------------|---|
| ACGIH | American Conference on Governmental Industrial Hygienists |
| C | Ceiling Limit |
| ES | Exposure Standard (Australia) |
| IDLH | Immediately Dangerous to Life and Health |
| OSHA | U.S. Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| STEL | Short-Term Exposure Limit |
| TLV | Threshold Limit Value |
| TWA | Time Weighted Average |

FIRST AID MEASURES:

| | |
|------------|--|
| CPR | Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body. |
|------------|--|

HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

| | | | | | | |
|----------------------------|-----------------|--|---------------|---------------------|-------------------------|----------------------------|
| 0 | Minimal Hazard | <table border="1"> <tr><td>HEALTH</td></tr> <tr><td>FLAMMABILITY</td></tr> <tr><td>PHYSICAL HAZARDS</td></tr> <tr><td>PERSONAL PROTECTION</td></tr> </table> | HEALTH | FLAMMABILITY | PHYSICAL HAZARDS | PERSONAL PROTECTION |
| HEALTH | | | | | | |
| FLAMMABILITY | | | | | | |
| PHYSICAL HAZARDS | | | | | | |
| PERSONAL PROTECTION | | | | | | |
| 1 | Slight Hazard | | | | | |
| 2 | Moderate Hazard | | | | | |
| 3 | Severe Hazard | | | | | |
| 4 | Extreme Hazard | | | | | |

PERSONAL PROTECTION RATINGS:

| | | | |
|----------|--|----------|--|
| A | | G | |
| B | | H | |
| C | | I | |
| D | | J | |
| E | | K | |
| F | | X | Consult your supervisor or SOPs for special handling directions. |

| | | | |
|----------------------|-----------------------------------|----------------------------------|---------------------------|
| | | | |
| Safety Glasses | Splash Goggles | Face Shield & Protective Eyewear | Gloves |
| | | | |
| Boots | Synthetic Apron | Protective Clothing & Full Suit | Dust Respirator |
| | | | |
| Full Face Respirator | Dust & Vapor Half-Mask Respirator | Full Face Respirator | Airline Hood/Mask or SCBA |

OTHER STANDARD ABBREVIATIONS:

| | |
|--------------|------------------------------------|
| ML | Maximum Limit |
| mg/m3 | milligrams per cubic meter |
| NA | Not Available |
| ND | Not Determined |
| NE | Not Established |
| NF | Not Found |
| NR | No Results |
| ppm | parts per million |
| SCBA | Self-Contained Breathing Apparatus |


NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:

| | |
|---------------------------------|---|
| Autoignition Temperature | Minimum temperature required to initiate combustion in air with no other source of ignition |
| LEL | Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source |
| UEL | Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source |

HAZARD RATINGS:

| | |
|----------------|-----------------|
| 0 | Minimal Hazard |
| 1 | Slight Hazard |
| 2 | Moderate Hazard |
| 3 | Severe Hazard |
| 4 | Extreme Hazard |
| ACD | Acidic |
| ALK | Alkaline |
| COR | Corrosive |
| W | Use No Water |
| OX | Oxidizer |
| TREFOIL | Radioactive |



TOXICOLOGICAL INFORMATION:

| | |
|---|---|
| LD₅₀ | Lethal Dose (solids & liquids) which kills 50% of the exposed animals |
| LC₅₀ | Lethal concentration (gases) which kills 50% of the exposed animal |
| ppm | Concentration expressed in parts of material per million parts |
| TD₁₀ | Lowest dose to cause a symptom |
| TCLo | Lowest concentration to cause a symptom |
| TD₁₀, LD₁₀, & LD₀₁ or TC, TC₀₁, LC₁₀, & LC₀₁ | Lowest dose (or concentration) to cause lethal or toxic effects |
| IARC | International Agency for Research on Cancer |
| NTP | National Toxicology Program |
| RTECS | Registry of Toxic Effects of Chemical Substances |
| BCF | Bioconcentration Factor |
| TL_m | Median threshold limit |
| log K_{ow} or log K_{oc} | Coefficient of Oil/Water Distribution |

REGULATORY INFORMATION:

| | |
|-----------------|---|
| WHMIS | Canadian Workplace Hazardous Material Information System |
| DOT | U.S. Department of Transportation |
| TC | Transport Canada |
| EPA | U.S. Environmental Protection Agency |
| DSL | Canadian Domestic Substance List |
| NOHSC | National Occupational Health and Safety Commission (Australia) |
| NDSL | Canadian Non-Domestic Substance List |
| PSL | Canadian Priority Substances List |
| TSCA | U.S. Toxic Substance Control Act |
| EU | European Union (European Union Directive 67/548/EEC) |
| WGK | Wassergefährdungsklassen (German Water Hazard Class) |
| HMIS-III | National Paint & Coatings Association Hazardous Materials Identification System |

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

| | | | | | | | |
|------------|-----------|-----------|----------|------------|------------|-----------|----------|
| | | | | | | | |
| Class A | Class B | Class C | Class D1 | Class D2 | Class D3 | Class E | Class F |
| Compressed | Flammable | Oxidizing | Toxic | Irritation | Infectious | Corrosive | Reactive |

EC (67/548/EEC) INFORMATION:

| | | | | | | | |
|-----------|-----------|-----------|---------|-----------|-------|----------|---------|
| | | | | | | | |
| C | E | F | N | O | T | Xi | Xn |
| Corrosive | Explosive | Flammable | Harmful | Oxidizing | Toxic | Irritant | Harmful |

CLP/GHS (1272/2008/EC) PICTOGRAMS:

| | | | | | | | | |
|-----------|-----------|----------|-------------|-----------|-------|--------------------|---------------|-------------|
| | | | | | | | | |
| GHS01 | GHS02 | GHS03 | GHS04 | GHS05 | GHS06 | GHS07 | GHS08 | GHS09 |
| Explosive | Flammable | Oxidizer | Pressurized | Corrosive | Toxic | Harmful Irritating | Health Hazard | Environment |